

Water Quality Samplers

TP5 C
Compact sampler with integrated distributor and 24 bottles.

[Details and Technical data](#)
[Catalog](#)



P6 L

Portable compact unit. Available with distributor and various bottle types.



P6 mini MAXX

Portable compact unit with storage tank.



SP5 B

Compact sampler in plastic housing, particularly suitable for high ambient temperatures.

[Details and Technical data](#)

[Catalog](#)



SP5 S

Sampler in stainless steel housing with plastic top. Also available with measuring rack for up to 4 parameters or as measurement station.

[Details and Technical data](#)

[Catalog](#)



SP5 A

Self-emptying sampler in stainless steel housing with plastic top. Ideal for continuous operation without the need of personnel. Also available with measuring rack.

[Details and Technical data](#)

[Catalog](#)



SP5 Zone 2

Fixed site water sampler without housing (wall-mounted unit) or as version in stainless steel housing with thermostatic control for automatic sample extraction from pressurised lines up to 20 bar. Mains operation 230V/50Hz.

[Details and Technical data](#)

[Catalog](#)




SP5 DK

Fixed site water sampler without housing (wall-mounted unit) or as version in stainless steel housing with thermostatic control for automatic sample extraction from pressurised lines up to 20 bar. Mains operation 230V/50Hz.

[Details and Technical data](#)

[Catalog](#)



Measuring Station

Based on the standard device SP5 S with a 2nd cabinet on the left, which is for the measuring cup and measuring technology.

[Catalog](#)

